

antibiotic activity is absent in the enzyme preparation when determined by an appropriate validated method such as the method “Determination of antibiotic activity” in the Compendium of Food Additive Specifications, vol. 2, Joint FAO/WHO Expert Committee on Food Additives (JECFA), Food and Agriculture Organization of the United Nations, Rome, 1992. Copies are available from Bernan Associates, 4611-F Assembly Dr., Lanham, MD 20706, or from The United Nations Bookshop, General Assembly Bldg., rm. 32, New York, NY 10017, or by inquiries sent to “<http://www.fao.org>”. Copies may be examined at the Center for Food Safety and Applied Nutrition’s Library, 200 C St. SW., Washington, DC.

(c) In accordance with § 184.1(b)(1), the ingredient is used in food with no limitation other than current good manufacturing practice. The affirmation of this ingredient as GRAS as a direct food ingredient is based upon the following current good manufacturing practice conditions of use:

(1) The ingredient is used as an enzyme as defined in § 170.3(o)(9) of this chapter to hydrolyze polysaccharides (e.g., starch).

(2) The ingredient is used in food at levels not to exceed current good manufacturing practice.

[64 FR 19894, Apr. 23, 1999]

§ 184.1150 Bacterially-derived protease enzyme preparation.

(a) Bacterially-derived protease enzyme preparation is obtained from the culture filtrate resulting from a pure culture fermentation of a nonpathogenic and nontoxigenic strain of *Bacillus subtilis* or *B. amyloliquefaciens*. The preparation is characterized by the presence of the enzymes subtilisin (EC 3.4.21.62) and neutral proteinase (EC 3.4.24.28), which catalyze the hydrolysis of peptide bonds in proteins.

(b) The ingredient meets the general requirements and additional requirements in the monograph on enzyme preparations in the Food Chemicals Codex, 4th ed. (1996), pp. 128–135, which is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the National Academy Press, 2101 Constitution Ave. NW., Washington, DC 20418,

or may be examined at the Center for Food Safety and Applied Nutrition’s Library, 200 C St. SW., Washington, DC, or at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700 Washington, DC. In addition, antibiotic activity is absent in the enzyme preparation when determined by an appropriate validated method such as the method “Determination of antibiotic activity” in the Compendium of Food Additive Specifications, vol. 2, Joint FAO/WHO Expert Committee on Food Additives (JECFA), Food and Agriculture Organization of the United Nations, Rome, 1992. Copies are available from Bernan Associates, 4611-F Assembly Dr., Lanham, MD 20706, or from The United Nations Bookshop, General Assembly Bldg., rm. 32, New York, NY 10017, or by inquiries sent to “<http://www.fao.org>”. Copies may be examined at the Center for Food Safety and Applied Nutrition’s Library, 200 C St. SW., Washington, DC.

(c) In accordance with § 184.1(b)(1), the ingredient is used in food with no limitation other than current good manufacturing practice. The affirmation of this ingredient as GRAS as a direct food ingredient is based upon the following current good manufacturing practice conditions of use:

(1) The ingredient is used as an enzyme as defined in § 170.3(o)(9) of this chapter to hydrolyze proteins or polypeptides.

(2) The ingredient is used in food at levels not to exceed current good manufacturing practice.

[64 FR 19895, Apr. 23, 1999]

§ 184.1155 Bentonite.

(a) Bentonite ($\text{Al}_2\text{O}_3 \cdot 4\text{SiO}_2 \cdot n\text{H}_2\text{O}$, CAS Reg. No. 1302-0978-099) is principally a colloidal hydrated aluminum silicate. Bentonite contains varying quantities of iron, alkalies, and alkaline earths in the commercial products. Depending on the cations present, natural deposits of bentonite range in color from white to gray, yellow, green, or blue. Bentonite’s fine particles provide large total surface area and, hence, pronounced adsorptive capability.

(b) FDA is developing food-grade specifications for bentonite in cooperation with the National Academy of Sciences. In the interim, the ingredient